

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	275	event same filter same consumer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:11
L2	16	I1 same transform\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:16
L3	935	719/310.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:16
L4	2493	719/311-317.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:16
L5	767	719/318.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:16
L6	1217	719/328.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:16
L7	19602	709/217-224.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:16

EAST Search History

L8	1443	709/200.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17
L9	2217	709/201.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17
L10	5825	709/224,216.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17
L11	8872	709/203,226.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17
L12	4439	709/206,207.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17
L13	1581	707/9,530.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17
L14	6138	705/35,14.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:17

EAST Search History

L15	745	706/11,47.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:18
L16	1058	703/4,6.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:18
L17	125	348/88.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:18
L18	362	710/11.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:18
L19	747	717/1,168.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:18
L20	69	380/271.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:18
L21	44331	I3 or I4 or I5 or I6 or I7 or I8 or I9 or I10 or I11 or I12 or I13 or I15 or I16 or I17 or I18 or I19 or I20 or "I21"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:19

EAST Search History

L22	1257	I21 and event same filter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:19
L23	164	I22 and filter near5 criteria	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:20
L24	35	I22 and filter near5 criteria same action	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:21
L25	10	I22 and filter near5 criteria same consumer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:21
S1	53	WMI	USPAT	OR	ON	2003/11/05 13:31
S2	10	WMI and microsoft	USPAT	OR	ON	2003/11/05 13:32
S3	0	sanghvi-ashvinkumar.in.	USPAT	OR	ON	2003/11/05 13:32
S4	2	kenny-patrick.in.	USPAT	OR	ON	2003/11/05 13:33
S5	0	thatcher-michael.in.	USPAT	OR	ON	2003/11/05 13:50
S6	39937	(user adj interface) or (GUI or (graphical adj user adj interface))	USPAT	OR	ON	2003/11/05 13:51
S7	24974	((user adj interface) or (GUI or (graphical adj user adj interface))) and network\$3	USPAT	OR	ON	2003/11/05 13:51
S8	13161	(((user adj interface) or (GUI or (graphical adj user adj interface))) and network\$3) and event	USPAT	OR	ON	2003/11/05 13:51
S9	7784	(((user adj interface) or (GUI or (graphical adj user adj interface))) and network\$3) and event) and database	USPAT	OR	ON	2003/11/05 13:51

EAST Search History

S10	2110	(((((user adj interface) or (GUI or (graphical adj user adj interface))) and network\$3) and event) and database) and (email or e-mail)	USPAT	OR	ON	2003/11/05 13:52
S11	26	(((((user adj interface) or (GUI or (graphical adj user adj interface))) and network\$3) and event) and database) and (email or e-mail)) and (event adj distribu\$5)	USPAT	OR	ON	2003/11/05 13:56
S12	6	((((((user adj interface) or (GUI or (graphical adj user adj interface))) and network\$3) and event) and database) and (email or e-mail)) and (event adj distribu\$5)) and (generat\$5 adj (email or e-mail))	USPAT	OR	ON	2003/11/05 13:57
S13	6	(US-5809415-\$ or US-5911485-\$ or US-6150962-\$ or US-6405037-\$ or US-6430409-\$ or US-6625447-\$). did.	USPAT	OR	OFF	2003/11/05 13:57
S14	6	((US-5809415-\$ or US-5911485-\$ or US-6150962-\$ or US-6405037-\$ or US-6430409-\$ or US-6625447-\$). did.) and (generat\$5 adj (email or e-mail))	USPAT	OR	ON	2003/11/05 13:59
S15	37693	network and database	USPAT	OR	ON	2003/11/05 13:59
S16	287	(network and database) and (event adj2 distribu\$5)	USPAT	OR	ON	2003/11/05 14:01
S17	30	((network and database) and (event adj2 distribu\$5)) and ((email or e-mail) same event)	USPAT	OR	ON	2003/11/05 14:01
S18	2	((network and database) and (event adj2 distribu\$5)) and ((email or e-mail) same event)) and (event adj filter)	USPAT	OR	ON	2003/11/05 14:00
S19	2	(US-6493756-\$ or US-6470384-\$). did.	USPAT	OR	OFF	2003/11/05 14:01
S20	2	((US-6493756-\$ or US-6470384-\$). did.) and (event adj2 distribu\$5)	USPAT	OR	ON	2003/11/05 14:01
S21	2	((US-6493756-\$ or US-6470384-\$). did.) and (event adj2 distribu\$5)) and ((email or e-mail) same event)	USPAT	OR	ON	2003/11/05 14:01
S22	1	"6493756".pn.	USPAT	OR	OFF	2003/11/12 18:24
S23	0	"5724589.pn"	USPAT	OR	OFF	2003/11/12 18:24
S24	1	"5724589".pn.	USPAT	OR	OFF	2003/11/12 18:24
S25	166	event and (filter near5 second) and (event near type)	USPAT	OR	ON	2005/01/21 02:25

EAST Search History

S26	37	(filter near second) and (event near type)	USPAT	OR	ON	2005/01/21 02:25
S27	1	(filter near second) same (event near type)	USPAT	OR	ON	2005/01/21 02:27
S28	178	(filter near second) same (event)	USPAT	OR	ON	2005/01/21 02:27
S29	4	(filter near second) same (event) same action	USPAT	OR	ON	2005/01/21 02:27
S30	4	("6477585").URPN.	USPAT	OR	OFF	2005/01/21 02:31


[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)
 The ACM Digital Library The Guide

THE ACM DIGITAL LIBRARY
[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

 Terms used [event](#) [filter](#) [criteria](#) [consumer](#) [transform](#)

 Found **152** of **185,178**

 Sort results
by

 Save results to a Binder

[Try an Advanced Search](#)

 Display
results

 [Search Tips](#)
[Try this search in The ACM Guide](#)
 Open results in a new window

Results 1 - 20 of 152

 Result page: **1** [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [next](#)

Relevance scale

1 Parallel execution of prolog programs: a survey

Gopal Gupta, Enrico Pontelli, Khayri A.M. Ali, Mats Carlsson, Manuel V. Hermenegildo
July 2001 **ACM Transactions on Programming Languages and Systems (TOPLAS)**,

Volume 23 Issue 4

Publisher: ACM Press

 Full text available: [pdf\(1.95 MB\)](#)

 Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Since the early days of logic programming, researchers in the field realized the potential for exploitation of parallelism present in the execution of logic programs. Their high-level nature, the presence of nondeterminism, and their referential transparency, among other characteristics, make logic programs interesting candidates for obtaining speedups through parallel execution. At the same time, the fact that the typical applications of logic programming frequently involve irregular computation ...

Keywords: Automatic parallelization, constraint programming, logic programming, parallelism, prolog

2 A framework for event-based software integration

Daniel J. Barrett, Lori A. Clarke, Peri L. Tarr, Alexander E. Wise
October 1996 **ACM Transactions on Software Engineering and Methodology (TOSEM)**,

Volume 5 Issue 4

Publisher: ACM Press

 Full text available: [pdf\(413.46 KB\)](#)

 Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

Although event-based software integration is one of the most prevalent approaches to loose integration, no consistent model for describing it exists. As a result, there is no uniform way to discuss event-based integration, compare approaches and implementations, specify new event-based approaches, or match user requirements with the capabilities of event-based integration systems. We attempt to address these shortcomings by specifying a generic framework for event-based integration< ...

Keywords: CORBA, FIELD, Polylith, control integration, event-based systems, interoperability, reference model, software integration

3

Database issues for event-based middleware: Information sharing with the Oracle

 **database**

Deiter Gawlick, Shailendra Mishra

June 2003 **Proceedings of the 2nd international workshop on Distributed event-based systems**

Publisher: ACM Press

Full text available:  pdf(177.29 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Database systems have been designed to manage business critical information and make this information accessible on request to connected clients. There is, however, an ever-increasing need to share relevant information actively with disconnected clients and/or external systems, e.g., to propagate and/or automatically react to relevant information as soon as it becomes available. Leveraging the existing database infrastructure, Oracle created a solution to this problem. The solution is state of th ...

Keywords: JMS, apply, auditing, capture, database, expression evaluation, post dating, publish/subscribe, reliable messaging, retention, rules, type system

4 The family of concurrent logic programming languages 

 Ehud Shapiro

September 1989 **ACM Computing Surveys (CSUR)**, Volume 21 Issue 3

Publisher: ACM Press

Full text available:  pdf(9.62 MB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Concurrent logic languages are high-level programming languages for parallel and distributed systems that offer a wide range of both known and novel concurrent programming techniques. Being logic programming languages, they preserve many advantages of the abstract logic programming model, including the logical reading of programs and computations, the convenience of representing data structures with logical terms and manipulating them using unification, and the amenability to metaprogrammin ...

5 Coordination models, languages and applications: A modular approach to build 

 **structured event-based systems**

Ludger Fiege, Gero Mühl, Felix C. Gärtner

March 2002 **Proceedings of the 2002 ACM symposium on Applied computing**

Publisher: ACM Press

Full text available:  pdf(719.41 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Event-based systems are developed and used as a coordination model to integrate components in loosely coupled systems. Research and product development focused so far on efficiency issues but neglected methodological support to build such systems. In this paper, we present the modular design and implementation of an event system which supports scopes and event mappings, two new and powerful structuring methods that facilitate engineering and coordination of components in event-based systems. The ...

Keywords: event-based cooperation, formal specification, notification services, publish-subscribe

6 Efficient filtering in publish-subscribe systems using binary decision diagrams 

Alexis Campailla, Sagar Chaki, Edmund Clarke, Somesh Jha, Helmut Veith

July 2001 **Proceedings of the 23rd International Conference on Software Engineering**

Publisher: IEEE Computer Society

Full text available:  pdf(225.86 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)
 Publisher Site

Implicit invocation or publish-subscribe has become an important architectural style for large-scale system design and evolution. The publish-subscribe style facilitates developing large-scale systems by composing separately developed components because the style permits loose coupling between various components. One of the major bottlenecks in using publish-subscribe systems for very large scale systems is the efficiency of filtering incoming messages, i.e., matching of published events w ...

7 Industrial papers: service oriented architectures, middleware: Event processing with an oracle database

 Bob Thome, Dieter Gawlick, .Maria Pratt
 June 2005 **Proceedings of the 2005 ACM SIGMOD international conference on Management of data**

Publisher: ACM Press

Full text available:  pdf(250.14 KB) Additional Information: [full citation](#), [abstract](#), [references](#)

In this paper, we examine how active database technology developed over the past few years has been put to use to solve real world problems. We note how the technology had to be extended beyond the feature set originally identified in early research to meet these real-world needs, and discuss why this technology was best suited to solving these problems.

8 Seeing, hearing, and touching: putting it all together

 Brian Fisher, Sidney Fels, Karon MacLean, Tamara Munzner, Ronald Rensink
 August 2004 **Proceedings of the conference on SIGGRAPH 2004 course notes SIGGRAPH '04**

Publisher: ACM Press

Full text available:  pdf(20.64 MB) Additional Information: [full citation](#)

9 Query evaluation techniques for large databases

 Goetz Graefe
 June 1993 **ACM Computing Surveys (CSUR)**, Volume 25 Issue 2

Publisher: ACM Press

Full text available:  pdf(9.37 MB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

Database management systems will continue to manage large data volumes. Thus, efficient algorithms for accessing and manipulating large sets and sequences will be required to provide acceptable performance. The advent of object-oriented and extensible database systems will not solve this problem. On the contrary, modern data models exacerbate the problem: In order to manipulate large sets of complex objects as efficiently as today's database systems manipulate simple records, query-processi ...

Keywords: complex query evaluation plans, dynamic query evaluation plans, extensible database systems, iterators, object-oriented database systems, operator model of parallelization, parallel algorithms, relational database systems, set-matching algorithms, sort-hash duality

10 Real-time volume graphics

 Klaus Engel, Markus Hadwiger, Joe M. Kniss, Aaron E. Lefohn, Christof Rezk Salama, Daniel Weiskopf
 August 2004 **Proceedings of the conference on SIGGRAPH 2004 course notes**

SIGGRAPH '04**Publisher:** ACM PressFull text available:  pdf(7.63 MB) Additional Information: [full citation](#), [abstract](#)

The tremendous evolution of programmable graphics hardware has made high-quality real-time volume graphics a reality. In addition to the traditional application of rendering volume data in scientific visualization, the interest in applying these techniques for real-time rendering of atmospheric phenomena and participating media such as fire, smoke, and clouds is growing rapidly. This course covers both applications in scientific visualization, e.g., medical volume data, and real-time rendering, ...

11 The elements of nature: interactive and realistic techniques

 Oliver Deussen, David S. Ebert, Ron Fedkiw, F. Kenton Musgrave, Przemyslaw Prusinkiewicz, Doug Roble, Jos Stam, Jerry Tessendorf

August 2004 **Proceedings of the conference on SIGGRAPH 2004 course notes****SIGGRAPH '04****Publisher:** ACM PressFull text available:  pdf(17.65 MB) Additional Information: [full citation](#), [abstract](#)

This updated course on simulating natural phenomena will cover the latest research and production techniques for simulating most of the elements of nature. The presenters will provide movie production, interactive simulation, and research perspectives on the difficult task of photorealistic modeling, rendering, and animation of natural phenomena. The course offers a nice balance of the latest interactive graphics hardware-based simulation techniques and the latest physics-based simulation techni ...

12 Computing curricula 2001

 September 2001 **Journal on Educational Resources in Computing (JERIC)**

Publisher: ACM PressFull text available:  pdf(613.63 KB)  html(2.78 KB) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)**13 Temporal event clustering for digital photo collections**

 Matthew Cooper, Jonathan Foote, Andreas Grgensohn, Lynn Wilcox

August 2005 **ACM Transactions on Multimedia Computing, Communications, and Applications (TOMCCAP)**, Volume 1 Issue 3**Publisher:** ACM PressFull text available:  pdf(5.20 MB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Organizing digital photograph collections according to events such as holiday gatherings or vacations is a common practice among photographers. To support photographers in this task, we present similarity-based methods to cluster digital photos by time and image content. The approach is general and unsupervised, and makes minimal assumptions regarding the structure or statistics of the photo collection. We present several variants of an automatic unsupervised algorithm to partition a collection ...

Keywords: Digital photo organization, digital libraries, temporal media indexing

14 Location-based access and broadcasting: Supporting multiple subscription languages

 by a single event notification overlay in sparse MANETs

Katrine Stemland Skjelsvik, Anna Lekova, Vera Goebel, Ellen Munthe-Kaas, Thomas Plagemann, Norun Sanderson

June 2006 **Proceedings of the 5th ACM international workshop on Data engineering for wireless and mobile access MobiDE '06**

Publisher: ACM PressFull text available: [pdf\(286.10 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

The subscription language is an important design decision for distributed event notification services (DENS). In order to minimize resource consumption and enable applications to use rich and complex subscription languages only when they are really needed, we have developed a DENS that separates the concerns of delivering subscriptions and notifications from the subscription specification and event filtering, i.e., the subscription language. To resolve the conflict between subscription language ...

Keywords: middleware, publish/subscribe, subscription language

15 High dynamic range imaging

 Paul Debevec, Erik Reinhard, Greg Ward, Sumanta Pattanaik
August 2004 **Proceedings of the conference on SIGGRAPH 2004 course notes SIGGRAPH '04**

Publisher: ACM PressFull text available: [pdf\(20.22 MB\)](#) Additional Information: [full citation](#), [abstract](#)

Current display devices can display only a limited range of contrast and colors, which is one of the main reasons that most image acquisition, processing, and display techniques use no more than eight bits per color channel. This course outlines recent advances in high-dynamic-range imaging, from capture to display, that remove this restriction, thereby enabling images to represent the color gamut and dynamic range of the original scene rather than the limited subspace imposed by current monitor ...

16 Crowd and group animation

 Daniel Thalmann, Christophe Hery, Seth Lippman, Hiromi Ono, Stephen Regelous, Douglas Sutton
August 2004 **Proceedings of the conference on SIGGRAPH 2004 course notes SIGGRAPH '04**

Publisher: ACM PressFull text available: [pdf\(20.19 MB\)](#) Additional Information: [full citation](#), [abstract](#)

A continuous challenge for special effects in movies is the production of realistic virtual crowds, in terms of rendering and behavior. This course will present state-of-the-art techniques and methods. The course will explain in details the different approaches to create virtual crowds: particle systems with flocking techniques using attraction and repulsion forces, copy and pasting techniques, agent-based methods. The architecture of software tools will be presented including the MASSIVE softwa ...

17 Strategies for integrating messaging and distributed object transactions

Stefan Tai, Isabelle Rouvellou
April 2000 **IFIP/ACM International Conference on Distributed systems platforms**

Publisher: Springer-Verlag New York, Inc.

Full text available: [pdf\(460.54 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#)

Messaging, and distributed transactions, describe two important models for building enterprise software systems. Distributed object middleware aims to support both models by providing messaging and transaction services. But while the concept of distributed object transactions is well-understood, support for messaging in distributed object environments is still in its early stages, and not nearly as readily perceived. Integrating messaging into distributed object environments, and in particula ...

18 Frontmatter (TOC, Letters, Election results, Software Reliability Resources!, Computing Curricula 2004 and the Software Engineering Volume SE2004, Software

 **Reuse Research, ICSE 2005 Forward)**July 2005 **ACM SIGSOFT Software Engineering Notes**, Volume 30 Issue 4**Publisher:** ACM PressFull text available:  [pdf\(6.19 MB\)](#)Additional Information: [full citation](#), [index terms](#)**19 Flexible cross-domain event delivery for quality-managed multimedia applications** Christian Poellabauer, Karsten SchwanAugust 2005 **ACM Transactions on Multimedia Computing, Communications, and Applications (TOMCCAP)**, Volume 1 Issue 3**Publisher:** ACM PressFull text available:  [pdf\(389.96 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

To meet end users' quality-of-service (QoS) requirements, online quality management for multimedia applications must include appropriate allocation of the underlying computing platform's resources. Previous work has developed novel operating system (OS) functionality for dynamic QoS management, including multimedia or real-time CPU schedulers and OS extensions for online performance monitoring and for adaptations, as well as QoS-aware applications that adapt their behavior to gain additional ben ...

Keywords: Event delivery, dynamic code generation, operating system, quality management, quality-of-service, real-time events

**20 Extending document management systems with user-specific active properties** Paul Dourish, W. Keith Edwards, Anthony LaMarca, John Lamping, Karin Petersen, Michael Salisbury, Douglas B. Terry, James ThorntonApril 2000 **ACM Transactions on Information Systems (TOIS)**, Volume 18 Issue 2**Publisher:** ACM PressFull text available:  [pdf\(166.43 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Document properties are a compelling infrastructure on which to develop document management applications. A property-based approach avoids many of the problems of traditional hierarchical storage mechanisms, reflects document organizations meaningful to user tasks, provides a means to integrate the perspectives of multiple individuals and groups, and does this all within a uniform interaction framework. Document properties can reflect not only categorizations of documents and document use ...

Keywords: active properties, component software, document management systems, document services, user experience

Results 1 - 20 of 152

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [next](#)

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2006 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)

[Sign in](#)[Web](#) [Images](#) [Video^{New!}](#) [News](#) [Maps](#) [more »](#)

event filter criteria consumer transform

[Advanced Search](#)[Preferences](#)[Web](#)Results 1 - 10 of about 498,000 for **event filter criteria consumer transform**. (0.20 seconds)

Title Index

... Document Object Model (DOM) Level 2 **Events** Specification · Document Object Model ...
On the **Criteria** To Be Used in Decomposing Systems into Modules ...
[dret.net/biblio/titles](#) - 945k - [Cached](#) - [Similar pages](#)

[\[PDF\] Scalable High-Performance Event Filtering for Dynamic Multi-point ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)
2.2.2 **Event Filtering Criteria**. Packet filters typically support "stateless" filtering ... A filter generation compiler is used to **transform a filter** ...
[www.cs.wustl.edu/~schmidt/PDF/HIPPARCH-94.pdf](#) - [Similar pages](#)

[\[PDF\] Harmonized Use Case for Biosurveillance \(Visit, Utilization and ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)
1.1.3.1 **Transform** data. into approved standards. Biosurveillance. 1.1.0.0. Individual Health Care. Delivery Organizations. 1.2.1.0 **Event: Filter** data ...
[www.hhs.gov/healthit/documents/BiosurveillanceUseCase.pdf](#) - [Similar pages](#)

[\[PDF\] Hub #12.indd](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)
the **event** and capitalize on every relevant. **consumer** touchpoint to ensure delivery of ... to-one engagement, the **criteria** will **filter** ...
[hubmagazine.com/archives/the_hub/2006/may_jun/the_hub12_relay.pdf](#) - [Similar pages](#)

[A Head Start on Domain-Driven Design Patterns > Design Patterns ...](#)

All instances meeting the **filter criteria** are added to a new collection, ... SQL statement and then **transform** the result into instances in our Domain Model. ...
[www.informit.com/articles/article.asp?p=59888&seqNum=4](#) - 34k - [Cached](#) - [Similar pages](#)

[\[doc\] Biosurveillance Selected Standards June 29, 2006](#)

File Format: Microsoft Word - [View as HTML](#)
1.1.1.0 **Event: Filter** existing data to identify data required by Public Health ... The standards listed here were selected using the Tier 2 **Criteria** as ...
[publicaa.ansi.org/.../HITSP%20Library/HITSP_BIO%20Selected%20Standards%20June%202006%20-%20Version%202.doc](#) - [Similar pages](#)

[Mule - Message Routers](#)

Sometimes you will want to **transform** response **event** without doing any other ... The Aggregator is based on the Selective **Consumer** so **filters** can also be ...
[mule.codehaus.org/Message+Routers](#) - 68k - [Cached](#) - [Similar pages](#)

[Cover Pages: IETF SIMPLE Specifications Support Presence-Based IM ...](#)

February 2, 2004, expires August 2, 2004. 19 pages. Section 7 supplies the XML Schema for **Filter Criteria**. See the announcement. "The SIP **event** notification ...
[xml.coverpages.org/ni2004-02-17-a.html](#) - 152k - [Cached](#) - [Similar pages](#)

[Enterprise Integration Patterns - Introduction to Composed ...](#)

This chapter demonstrates how to compose routing and **transformation** patterns into a larger solution. We chose to model the process of a **consumer** obtaining ...
[www.enterpriseintegrationpatterns.com/ComposedMessagingExample.html](#) - 25k -

[Cached](#) - [Similar pages](#)

[doc] [Information Dissemination - Draft 1.2](#)

File Format: Microsoft Word - [View as HTML](#)

An **event filter** can be used to specify composite **events – events** being triggered ... The INFOD Consumer interfaces consist of a single interface named the ...

www.ggf.org/mail_archive/infod-wg/2005/02/doc00000.doc - [Similar pages](#)

Gooooooooooooogle ►

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

Free! Speed up the web. [Download the Google Web Accelerator.](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google



Home | Login | Logout | Access Information | Alerts |
Welcome United States Patent and Trademark Office

Search Results

BROWSE

SEARCH

IEEE Xplore GUIDE

Results for "((event<in>metadata) <and> (filter<in>metadata))<and> (transform<i..."

e-mail

Your search matched 53 of 1408155 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

[View Session History](#)

[New Search](#)

Modify Search

((event<in>metadata) <and> (filter<in>metadata))<and> (transform<i..."

e-mail

Check to search only within this results set

Citation Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

[view selected items](#)

[Select All](#) [Deselect All](#)

View: 1-

IEE JNL IEE Journal or Magazine

1. Adaptive filtering, wavelet and lapped transforms for power quality problems and identification

Ribeiro, M.V.; Deckmann, S.M.; Romano, J.M.T.;

[Industrial Electronics, 2003. ISIE '03. 2003 IEEE International Symposium on](#)
Volume 1, 9-11 June 2003 Page(s):301 - 306 vol. 1

[AbstractPlus](#) | Full Text: PDF(526 KB) [IEEE CNF](#)

[Rights and Permissions](#)

IEEE CNF IEEE Conference Proceeding

IEEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

2. Wavelet analysis of a microbarograph network

Grivet-Talocia, S.; Einaudi, F.;

[Geoscience and Remote Sensing, IEEE Transactions on](#)

Volume 36, Issue 2, March 1998 Page(s):418 - 432

Digital Object Identifier 10.1109/36.662727

[AbstractPlus](#) | References | Full Text: PDF(360 KB) [IEEE JNL](#)

[Rights and Permissions](#)

3. Event-by-event motion compensation in 3D PET

Fulton, R.; Nickel, I.; Tellmann, L.; Meikle, S.; Pietrzyk, U.; Herzog, H.;

[Nuclear Science Symposium Conference Record, 2003 IEEE](#)

Volume 5, 19-25 Oct. 2003 Page(s):3286 - 3289 Vol.5

Digital Object Identifier 10.1109/NSSMIC.2003.1352598

[AbstractPlus](#) | Full Text: PDF(1580 KB) [IEEE CNF](#)

[Rights and Permissions](#)

4. Estimation of single-trial evoked signals by local transform domain filtering

Kisilev, P.; Zeevi, Y.Y.; Pratt, H.;

[Electrotechnical Conference, 1998. MELECON 98., 9th Mediterranean](#)

Volume 1, 18-20 May 1998 Page(s):658 - 662 vol.1

Digital Object Identifier 10.1109/MELCON.1998.692511

[AbstractPlus](#) | Full Text: PDF(336 KB) [IEEE CNF](#)

[Rights and Permissions](#)

5. Wavelet-based event detection in implantable cardiac rhythm management

Astrom, M.; Olmos, S.; Sornmo, L.;

[Biomedical Engineering, IEEE Transactions on](#)

Volume 53, Issue 3, March 2006 Page(s):478 - 484

Digital Object Identifier 10.1109/TBME.2005.869775

[AbstractPlus](#) | Full Text: [PDF\(408 KB\)](#) IEEE JNL
[Rights and Permissions](#)

- 6. Wavelet-based compression of power disturbances using the minimum description length criterion**
Hamid, E.Y.; Mardiana, R.; Kawasaki, Z.I.;
[Power Engineering Society Summer Meeting, 2001. IEEE](#)
Volume 3, 15-19 July 2001 Page(s):1772 - 1777 vol.3
Digital Object Identifier 10.1109/PESS.2001.970344
[AbstractPlus](#) | Full Text: [PDF\(775 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- 7. Wavelet based event detection in pacemakers**
Astrom, M.; Olmos, S.; Sornmo, L.;
[Engineering in Medicine and Biology Society, 2001. Proceedings of the 23rd Annual International Conference of the IEEE](#)
Volume 3, 25-28 Oct. 2001 Page(s):2121 - 2124 vol.3
[AbstractPlus](#) | Full Text: [PDF\(486 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- 8. Analysis of non-stationary vector fields using wavelet transforms**
Haus, B.K.; Graber, H.C.;
[OCEANS 2000 MTS/IEEE Conference and Exhibition](#)
Volume 3, 11-14 Sept. 2000 Page(s):1521 - 1527 vol.3
Digital Object Identifier 10.1109/OCEANS.2000.881820
[AbstractPlus](#) | Full Text: [PDF\(764 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- 9. A sub-band energy tracking algorithm for heart sound segmentation**
Haghghi-Mood, A.; Torry, J.N.;
[Computers in Cardiology 1995](#)
10-13 Sept. 1995 Page(s):501 - 504
Digital Object Identifier 10.1109/CIC.1995.482711
[AbstractPlus](#) | Full Text: [PDF\(296 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- 10. Data compression of power quality events using the slantlet transform**
Panda, G.; Dash, P.K.; Pradhan, A.K.; Meher, S.K.;
[Power Delivery, IEEE Transactions on](#)
Volume 17, Issue 2, April 2002 Page(s):662 - 667
Digital Object Identifier 10.1109/61.997957
[AbstractPlus](#) | References | Full Text: [PDF\(251 KB\)](#) IEEE JNL
[Rights and Permissions](#)
- 11. Wavelet-based data compression of power system disturbances using the description length criterion**
Hamid, E.Y.; Kawasaki, Z.-I.;
[Power Delivery, IEEE Transactions on](#)
Volume 17, Issue 2, April 2002 Page(s):460 - 466
Digital Object Identifier 10.1109/61.997918
[AbstractPlus](#) | References | Full Text: [PDF\(338 KB\)](#) IEEE JNL
[Rights and Permissions](#)
- 12. Signal detection and noise suppression using a wavelet transform signal application to ultrasonic flaw detection**
Abbate, A.; Koay, J.; Frankel, J.; Schroeder, S.C.; Das, P.;
[Ultrasonics, Ferroelectrics and Frequency Control, IEEE Transactions on](#)
Volume 44, Issue 1, Jan. 1997 Page(s):14 - 26
Digital Object Identifier 10.1109/58.585186

[AbstractPlus](#) | Full Text: [PDF\(1388 KB\)](#) IEEE JNL
[Rights and Permissions](#)

- **13. Frequency domain analysis of analog single-event transients in linear circuitry**
Boughassoul, Y.; Massengill, L.W.; Turflinger, T.L.; Holman, W.T.;
[Nuclear Science, IEEE Transactions on](#)
Volume 49, Issue 6, Part 1, Dec. 2002 Page(s):3142 - 3147
Digital Object Identifier 10.1109/TNS.2002.805330
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(336 KB\)](#) IEEE JNL
[Rights and Permissions](#)

- **14. A multistage, multimethod approach for automatic detection and classification of epileptiform EEG**
He Sheng Liu; Tong Zhang; Fu Sheng Yang;
[Biomedical Engineering, IEEE Transactions on](#)
Volume 49, Issue 12, Part 2, Dec. 2002 Page(s):1557 - 1566
Digital Object Identifier 10.1109/TBME.2002.805477
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(465 KB\)](#) IEEE JNL
[Rights and Permissions](#)

- **15. On signal processing approach for event detection and compression applications quality evaluation**
Ramos, F.R.; Riberto, M.V.; Romano, J.M.T.; Duque, C.A.;
[Harmonics and Quality of Power, 2002. 10th International Conference on](#)
Volume 1, 2002 Page(s):133 - 138 vol.1
[AbstractPlus](#) | Full Text: [PDF\(393 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- **16. New approach for detection using wavelet coefficients**
Chendeb, M.; Khalil, M.; Duchene, J.;
[Information Technology and Applications, 2005. ICITA 2005. Third International Conference on](#)
Volume 2, 4-7 July 2005 Page(s):603 - 607 vol.2
Digital Object Identifier 10.1109/ICITA.2005.190
[AbstractPlus](#) | Full Text: [PDF\(176 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- **17. New effective analytic representation based on the time-varying Schur complement for underwater signals analysis**
Lopatka, M.; Adam, O.; Laplanche, C.; Motsch, J.-F.; Zarzycki, J.;
[Oceans 2005 - Europe](#)
Volume 1, 20-23 June 2005 Page(s):160 - 165 Vol. 1
Digital Object Identifier 10.1109/OCEANSE.2005.1511702
[AbstractPlus](#) | Full Text: [PDF\(493 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- **18. Classification of driver's cognitive responses from EEG analysis**
Sheng-Fu Liang; Chin-Teng Lin; Ruei-Cheng Wu; Teng-Yi Huang; Wen-Hung Chen;
[Circuits and Systems, 2005. ISCAS 2005. IEEE International Symposium on](#)
23-26 May 2005 Page(s):156 - 159 Vol. 1
Digital Object Identifier 10.1109/ISCAS.2005.1464548
[AbstractPlus](#) | Full Text: [PDF\(728 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- **19. Digital signal processing techniques for compression of power quality disturbance events: new results**
Ribeiro, M.V.; Mitra, S.K.; Romano, J.M.T.;
[Transmission and Distribution Conference and Exposition: Latin America, 2004](#)
8-11 Nov. 2004 Page(s):448 - 452
[AbstractPlus](#) | Full Text: [PDF\(265 KB\)](#) IEEE CNF

Rights and Permissions**20. Extraction of pitch in adverse conditions**

Prasanna, S.R.M.; Yegnanarayana, B.;
Acoustics, Speech, and Signal Processing, 2004. Proceedings. (ICASSP '04). International Conference on
Volume 1, 17-21 May 2004 Page(s):I - 109-12 vol.1
Digital Object Identifier 10.1109/ICASSP.2004.1325934

[AbstractPlus](#) | Full Text: [PDF\(568 KB\)](#) IEEE CNF
[Rights and Permissions](#)

21. A wavelet-based approach for the extraction of event related potentials f

Fatourechi, M.; Mason, S.G.; Birch, G.E.; Ward, R.K.;
Acoustics, Speech, and Signal Processing, 2004. Proceedings. (ICASSP '04). International Conference on
Volume 2, 17-21 May 2004 Page(s):ii - 737-40 vol.2
Digital Object Identifier 10.1109/ICASSP.2004.1326363

[AbstractPlus](#) | Full Text: [PDF\(227 KB\)](#) IEEE CNF
[Rights and Permissions](#)

22. Distributed model coupling framework

Bettencourt, M.T.;
High Performance Distributed Computing, 2002. HPDC-11 2002. Proceedings International Symposium on
23-26 July 2002 Page(s):284 - 290
Digital Object Identifier 10.1109/HPDC.2002.1029928

[AbstractPlus](#) | Full Text: [PDF\(479 KB\)](#) IEEE CNF
[Rights and Permissions](#)

23. Robust pitch estimation using an event based adaptive Gaussian derivat

Shah, A.; Ramachandran, R.P.; Lewis, M.A.;
Circuits and Systems, 2002. ISCAS 2002. IEEE International Symposium on
Volume 2, 26-29 May 2002 Page(s):II-843 - II-846 vol.2
Digital Object Identifier 10.1109/ISCAS.2002.1011485

[AbstractPlus](#) | Full Text: [PDF\(495 KB\)](#) IEEE CNF
[Rights and Permissions](#)

24. Time frequency analysis and spatial filtering in the evaluation of beta ER: movement

Bianchi, A.M.; Foffani, G.; Cerutti, S.; Babiloni, C.; Rossini, P.M.; Carducci, F.; Cincotti, F.;
Engineering in Medicine and Biology Society, 2001. Proceedings of the 23rd A International Conference of the IEEE
Volume 1, 25-28 Oct. 2001 Page(s):990 - 993 vol.1

[AbstractPlus](#) | Full Text: [PDF\(388 KB\)](#) IEEE CNF
[Rights and Permissions](#)

25. Data-driven analysis of hemodynamic response delay in event-related fMRI transform

Zui, T.; Kobashi, S.; Kitamura, Y.T.; Hata, Y.; Yanagida, T.;
Mathematical Methods in Biomedical Image Analysis, 2001. MMBIA 2001. IEEE 9-10 Dec. 2001 Page(s):113 - 120
Digital Object Identifier 10.1109/MMBIA.2001.991706

[AbstractPlus](#) | Full Text: [PDF\(765 KB\)](#) IEEE CNF
[Rights and Permissions](#)

View: 1-

Indexed by
 Inspec®

[Help](#) [Contact Us](#) [Privacy & :](#)

© Copyright 2006 IEEE –